



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/797,215	03/09/2004	Loc X. Phan	018563-001550US	4185
46718 7590 09/18/2007 TOWNSEND AND TOWNSEND AND CREW, LLP (018563) TWO EMBARCADERO CENTER, EIGHTH FLOOR SAN FRANCISCO, CA 94111-3834			EXAMINER BUMGARNER, MELBA N	
			ART UNIT 3732	PAPER NUMBER
			MAIL DATE 09/18/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/797,215

Applicant(s)

PHAN ET AL.

Examiner

Melba Bumgarner

Art Unit

3732

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 06 July 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 24, 25 and 28 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 24, 25 and 28 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Claim Objections*

1. Claim 25 is objected to because of the following informalities: recitation of "the interdental area" lacks sufficient antecedent basis. Appropriate correction is required.

### *Claim Rejections - 35 USC § 102*

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 24 and 25 are rejected under 35 U.S.C. 102(b) as being anticipated by Parker (5,267,862). Parker discloses a removable elastic positioning appliance (column 10 line 20) comprising a shell having a hollow cavity shaped to receive teeth and capable of repositioning teeth, the shell having at least one protrusion 60 disposed along an edge of the hollow cavity and contacts at least one received tooth to assist in holding the appliance in position (column 8 line 66), the at least one protrusion comprises continuous protrusions configured to contact one or more teeth along the gingival margin and interdental areas (figure 10). It is the grooves in the cast that are used to make the protrusions, the grooves being the length of at least two posterior teeth.

### *Claim Rejections - 35 USC § 103*

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Parker in view of Bergersen (5,645,420). Parker discloses an appliance that shows the limitations as described above; however, Parker does not show the protrusion mountable on the appliance. It would have been an obvious matter of choice to one of ordinary skill in the art as to how the protrusion is formed as the specification states that the protrusions may be sized, formed and located in any combination; however, Bergersen is used to show a mountable protrusion 60 on the appliance. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the protrusion mountable on the appliance in order to form the protrusion in the mouth of the patient in view of Bergersen.

#### ***Response to Arguments***

6. Applicant's arguments filed July 6, 2007 have been fully considered but they are not persuasive. The claimed limitation reads "a continuous protrusion disposed along said edge which is configured to contact one or more teeth along the gingival margin and interdental areas." The continuous protrusion may be the width of one tooth or more teeth. The prior art shows groove used to make the protrusion (referred to as projection) to be the length of the buccal side of at least two posterior teeth on a cast (claim 1) and groove used to make the protrusion to be adjacent to the gum line on a cast (column 7 line 13). This continuous protrusion meets the limitation of configured to contact one or more teeth along the gingival margin and interdental areas. It is noted that the prior art figure 10 shows the structural limitation of the protrusion disposed along an edge of the hollow cavity, "along an edge" being approximately the same distance from the edge of the hollow cavity as the claimed invention of

Art Unit: 3732

figure 15B. The prior art is clear that the groove cut into the stone cast produce the protrusion (projection) (column 4 line 52).

***Conclusion***

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to whose telephone number is 571-272-4709. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriquez can be reached at 571-272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3732

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Melba Bumgarner  
Primary Examiner